



A CELERIAN GROUP COMPANY

ORIGINALLY PUBLISHED FEBRUARY 20, 2014 | UPDATED MAY 29, 2014

RE: FACE-TO-FACE AND WRITTEN ORDER REQUIREMENTS FOR HIGH COST DME – REVISED TO ADD INFORMATION CLARIFYING WHO MAY PERFORM THE IN-PERSON VISIT AND THE RESPONSIBILITIES OF THE ORDERING PHYSICIAN.

We IMPACT Lives.

Dear Physician:

For certain specified items of durable medical equipment the Affordable Care Act requires that an in-person, face-to-face examination (F2F) documenting the need for the item must have occurred sometime during the six (6) months prior to the order for the item. The purpose of this letter is to provide a summary of these requirements.

A F2F examination meeting the requirements discussed below is required each time a new prescription for one of the specified items is required. A new prescription is required by Medicare:

- For all claims for purchases or initial rentals
- When there is a change in the order for the accessory, supply, drug, etc.
- On a regular basis (even if there is no change in the order) only if it is so specified in the documentation section of a particular medical policy
- When an item is replaced
- When there is a change in the supplier
- When required by state law

These requirements are effective for all new orders (prescriptions) for the specified items created on or after July 1, 2013.

Face-To-Face Examination Requirements

The physician must have a face-to-face examination with the beneficiary in the six (6) months prior to the date of the written order for the specified items of DME.

This face-to-face requirement includes examinations conducted via the Centers for Medicare & Medicaid Services (CMS)-approved use of telehealth examinations (as described in Chapter 15 of the Medicare Benefit Policy Manual and Chapter 12 of the Medicare Claims Processing Manual – CMS Internet-Only Manuals, Publ. 100-02 and 100-04, respectively).

For the physician prescribing a specified DME item:

- The face-to-face examination with the beneficiary must be conducted within the six (6) months prior to the date of the prescription.
- The face-to-face examination must document that the beneficiary was evaluated and/or treated for a condition that supports the need for the item(s) of DME ordered.
- Remember that all Medicare coverage and documentation requirements for DMEPOS also apply. There must be sufficient medical information included in the medical record to demonstrate that the applicable coverage criteria are met. Refer to the applicable Local Coverage Determination for information about the medical necessity criteria for the item(s) being ordered.
- The treating practitioner that conducted the face-to-face examination does not need to be the prescriber for the DME item. However, the prescriber must:

- Verify that the in-person visit occurred within the 6-months prior to the date of their prescription, and
- Have documentation of the face-to-face examination that was conducted.
- The prescriber must provide a copy of the face-to-face examination and the prescription for the item(s) to the DMEPOS supplier before the item can be delivered.

Prescription (order) Requirements

These items require a written order prior to delivery (WOPD). A WOPD is the standard Medicare detailed written order, which must be completed and in the DMEPOS supplier's possession BEFORE the item can be delivered. The prescription (order) for the DME must meet all requirements for a WOPD and include all of the items below:

- Beneficiary's name,
- Physician's Name
- Date of the order and the start date, if start date is different from the date of the order
- Detailed description of the item
- The prescribing practitioner's National Provider Identifier (NPI),
- The signature of the ordering practitioner
- Signature date

For any of the specified items provided on a periodic basis, including drugs, the written order must include:

- Item(s) to be dispensed
- Dosage or concentration, if applicable
- Route of Administration, if applicable
- Frequency of use
- Duration of infusion, if applicable
- Quantity to be dispensed
- Number of refills, if applicable

Note that prescriptions for these specified DME items require the National Provider Identifier to be included on the prescription. Prescriptions for other DME items do not have this NPI requirement.

Date and Timing Requirements

There are specific date and timing issues:

- The date of the F2F must be on or before the date of the written order (prescription) and may be no older than six months prior to the prescription date.
- The date of the F2F must be on or before the date of delivery for the item(s) prescribed.
- The date of the written order must be on or before the date of delivery (DOS).
- ALL DMEPOS suppliers must have documentation of both the face-to-face visit and the completed WOPD in their file prior to the delivery of these items.

This letter is intended to be a general summary. It is not intended to take the place of the law, regulations, or national and local coverage determinations. Detailed information about these requirements can be found on the CMS website <http://www.cms.gov> or on the DME contractors' website.

Sincerely,

Paul J. Hughes, M.D.
Medical Director, DME MAC Jurisdiction A
NHIC, Corp.

Stacey V. Brennan, M.D., FAAFP
Medical Director, DME MAC Jurisdiction B
National Government Services

Robert D. Hoover, Jr., MD, MPH, FACP
Medical Director, DME MAC Jurisdiction C
CGS Administrators, LLC

Eileen M. Moynihan, MD, FACP, FACR
Medical Director, DME MAC Jurisdiction D
Noridian Healthcare Solutions

TABLE A: DME List of Specified Covered Items

The DME list of Specified Covered Items is as follows. The original list was at 77 FR 44798. This original list contains some codes that have been deleted or that were made not valid for Medicare (*) in the interim while some other codes have had narrative changes (**). Updates to the list will be made as CMS releases revisions.

Refer to the Pricing, Data Analysis and Coding Contractor web site for information on coding at <http://www.dmepdac.com>.

HCPCS Code	Description
E0185	Gel or gel-like pressure mattress pad
E0188	Synthetic sheepskin pad
E0189	Lamb's wool sheepskin pad
E0194	Air fluidized bed
E0197	Air pressure pad for mattress standard length and width
E0198	Water pressure pad for mattress standard length and width
E0199	Dry pressure pad for mattress standard length and width
E0250	Hospital bed fixed height with any type of side rails, mattress
E0251	Hospital bed fixed height with any type side rails without mattress
E0255	Hospital bed variable height with any type side rails with mattress
E0256	Hospital bed variable height with any type side rails without mattress
E0260	Hospital bed semi-electric (Head and foot adjustment) with any type side rails with mattress
E0261	Hospital bed semi-electric (head and foot adjustment) with any type side rails without mattress
E0265	Hospital bed total electric (head, foot and height adjustments) with any type side rails with mattress
E0266	Hospital bed total electric (head, foot and height adjustments) with any type side rails without mattress
E0290	Hospital bed fixed height without rails with mattress
E0291	Hospital bed fixed height without rail without mattress
E0292	Hospital bed variable height without rail without mattress
E0293	Hospital bed variable height without rail with mattress
E0294	Hospital bed semi-electric (head and foot adjustment) without rail with mattress
E0295	Hospital bed semi-electric (head and foot adjustment) without rail without mattress
E0296	Hospital bed total electric (head, foot and height adjustments) without rail with mattress
E0297	Hospital bed total electric (head, foot and height adjustments) without rail without mattress
E0300	Pediatric crib, hospital grade, fully enclosed
E0301	Hospital bed Heavy Duty extra wide, with weight capacity 350-600 lbs with any type of rail, without mattress
E0302	Hospital bed Heavy Duty extra wide, with weight capacity greater than 600 lbs with any type of rail, without mattress
E0303	Hospital bed Heavy Duty extra wide, with weight capacity 350-600 lbs with any type of rail, with mattress
E0304	Hospital bed Heavy Duty extra wide, with weight capacity greater than 600 lbs with any type of rail, with mattress
E0424	Stationary compressed gas Oxygen System rental; includes contents, regulator, nebulizer, cannula or mask and tubing
E0431	Portable gaseous oxygen system rental includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing
E0433	Portable liquid oxygen system

HCPCS Code	Description
E0434	Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, content gauge, cannula or mask, and tubing
E0439	Stationary liquid oxygen system rental, includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing
E0441	Oxygen contents, gaseous (1 months supply)
E0442	Oxygen contents, liquid (1 months supply)
E0443	Portable Oxygen contents, gas (1 months supply)
E0444	Portable oxygen contents, liquid (1 months supply)
E0450	Volume control ventilator without pressure support used with invasive interface
E0457	Chest shell
E0459	Chest wrap
E0460	Negative pressure ventilator portable or stationary
E0461	Volume control ventilator without pressure support node for a noninvasive interface
E0462	Rocking bed with or without side rail
E0463	Pressure support ventilator with volume control mode used for invasive surfaces
E0464	Pressure support vent with volume control mode used for noninvasive surfaces
E0470	Respiratory Assist Device, bi-level pressure capability, without backup rate used non-invasive interface
E0471	Respiratory Assist Device, bi-level pressure capability, with backup rate for a non-invasive interface
E0472	Respiratory Assist Device, bi-level pressure capability, with backup rate for invasive interface
E0480	Percussor electric/pneumatic home model
E0482	Cough stimulating device, alternating positive and negative airway pressure
E0483	High Frequency chest wall oscillation air pulse generator system
E0484	Oscillatory positive expiratory device, non-electric
E0570	Nebulizer with compressor
E0575	Nebulizer, ultrasonic, large volume
E0580	Nebulizer, durable, glass or autoclavable plastic, bottle type for use with regulator or flowmeter
E0585	Nebulizer with compressor & heater
E0601	Continuous airway pressure device
E0607	Home blood glucose monitor
E0627	Seat lift mechanism incorporated lift-chair
E0628	Separate Seat lift mechanism for patient owned furniture electric
E0629	Separate seat lift mechanism for patient owned furniture non-electric
E0636	Multi positional patient support system, with integrated lift, patient accessible controls
E0650	Pneumatic compressor non-segmental home model
E0651	Pneumatic compressor segmental home model without calibrated gradient pressure
E0652	Pneumatic compressor segmental home model with calibrated gradient pressure
E0655	Non- segmental pneumatic appliance for use with pneumatic compressor on half arm
E0656	Non- segmental pneumatic appliance for use with pneumatic compressor on trunk
E0657	Non- segmental pneumatic appliance for use with pneumatic compressor chest
E0660	Non- segmental pneumatic appliance for use with pneumatic compressor on full leg
E0665	Non- segmental pneumatic appliance for use with pneumatic compressor on full arm
E0666	Non- segmental pneumatic appliance for use with pneumatic compressor on half leg
E0667	Segmental pneumatic appliance for use with pneumatic compressor on full-leg

HCPCS Code	Description
E0668	Segmental pneumatic appliance for use with pneumatic compressor on full arm
E0669	Segmental pneumatic appliance for use with pneumatic compressor on half leg
E0671	Segmental gradient pressure pneumatic appliance full leg
E0672	Segmental gradient pressure pneumatic appliance full arm
E0673	Segmental gradient pressure pneumatic appliance half leg
E0675	Pneumatic compression device, high pressure, rapid inflation/deflation cycle, for arterial insufficiency
E0692	Ultraviolet light therapy system panel treatment 4 foot panel
E0693	Ultraviolet light therapy system panel treatment 6 foot panel
E0694	Ultraviolet multidirectional light therapy system in 6 foot cabinet
E0720	Transcutaneous electrical nerve stimulation, two lead, local stimulation
E0730	Transcutaneous electrical nerve stimulation, four or more leads, for multiple nerve stimulation
E0731	Form fitting conductive garment for delivery of TENS or NMES
E0740	Incontinence treatment system, Pelvic floor stimulator, monitor, sensor, and/or trainer
E0744	Neuromuscular stimulator for scoliosis
E0745	Neuromuscular stimulator electric shock unit
E0747	Osteogenesis stimulator, electrical, non-invasive, other than spine application.
E0748	Osteogenesis stimulator, electrical, non-invasive, spinal application
E0749	Osteogenesis stimulator, electrical, surgically implanted
E0760	Osteogenesis stimulator, low intensity ultrasound, non-invasive
E0762	Transcutaneous electrical joint stimulation system including all accessories
E0764	Functional neuromuscular stimulator, transcutaneous stimulations of muscles of ambulation with computer controls
E0765	FDA approved nerve stimulator for treatment of nausea & vomiting
E0782	Infusion pumps, implantable, Non-programmable
E0783	Infusion pump, implantable, Programmable
E0784	External ambulatory infusion pump
E0786	Implantable programmable infusion pump, replacement
E0840	Tract frame attach to headboard, cervical traction
E0849	Traction equipment cervical, free-standing stand/frame, pneumatic, applying traction force to other than mandible
E0850	Traction stand, free standing, cervical traction
E0855	Cervical traction equipment not requiring additional stand or frame
E0856	Cervical traction device, cervical collar with inflatable air bladder
E0958**	Manual wheelchair accessory, one-arm drive attachment
E0959**	Manual wheelchair accessory-adapter for Amputee
E0960**	Manual wheelchair accessory, shoulder harness/strap
E0961**	Manual wheelchair accessory wheel lock brake extension handle
E0966**	Manual wheelchair accessory, headrest extension
E0967**	Manual wheelchair accessory, hand rim with projections
E0968*	Commode seat, wheelchair
E0969*	Narrowing device wheelchair
E0971**	Manual wheelchair accessory anti-tipping device
E0973**	Manual wheelchair accessory, adjustable height, detachable armrest

HCPCS Code	Description
E0974**	Manual wheelchair accessory anti-rollback device
E0978*	Manual wheelchair accessory positioning belt/safety belt/ pelvic strap
E0980*	Manual wheelchair accessory safety vest
E0981**	Manual wheelchair accessory Seat upholstery, replacement only
E0982**	Manual wheelchair accessory, back upholstery, replacement only
E0983**	Manual wheelchair accessory power add on to convert manual wheelchair to motorized wheelchair, joystick control
E0984**	Manual wheelchair accessory power add on to convert manual wheelchair to motorized wheelchair, Tiller control
E0985	Wheelchair accessory, seat lift mechanism
E0986**	Manual wheelchair accessory, push activated power assist
E0990**	Manual wheelchair accessory, elevating leg rest
E0992**	Manual wheelchair accessory, elevating leg rest solid seat insert
E0994*	Arm rest
E1014	Reclining back, addition to pediatric size wheelchair
E1015	Shock absorber for manual wheelchair
E1020	Residual limb support system for wheelchair
E1028**	Wheelchair accessory, manual swing away, retractable or removable mounting hardware for joystick, other control interface or positioning accessory
E1029**	Wheelchair accessory, ventilator tray
E1030**	Wheelchair accessory, ventilator tray, gimbaled
E1031	Rollabout chair, any and all types with castors 5" or greater
E1035**	Multi-positional patient transfer system with integrated seat operated by care giver
E1036**	Patient transfer system
E1037	Transport chair, pediatric size
E1038**	Transport chair, adult size up to 300lb
E1039**	Transport chair, adult size heavy duty >300lb
E1161	Manual Adult size wheelchair includes tilt in space
E1227*	Special height arm for wheelchair
E1228*	Special back height for wheelchair
E1232	Wheelchair, pediatric size, tilt-in-space, folding, adjustable with seating system
E1233**	Wheelchair, pediatric size, tilt-in-space, folding, adjustable without seating system
E1234	Wheelchair, pediatric size, tilt-in-space, folding, adjustable without seating system
E1235	Wheelchair, pediatric size, rigid, adjustable, with seating system
E1236	Wheelchair, pediatric size, folding, adjustable, with seating system
E1237	Wheelchair, pediatric size, rigid, adjustable, without seating system
E1238	Wheelchair, pediatric size, folding, adjustable, without seating system
E1296*	Special sized wheelchair seat height
E1297*	Special sized wheelchair seat depth by upholstery
E1298*	Special sized wheelchair seat depth and/or width by construction
E1310**	Whirlpool non-portable
E2502**	Speech Generating Devices prerecord messages between 8 and 20 Minutes
E2506**	Speech Generating Devices prerecord messages over 40 minutes

HCPCS Code	Description
E2508**	Speech Generating Devices message through spelling, manual type
E2510**	Speech Generating Devices synthesized with multiple message methods
E2227**	Rigid pediatric wheelchair adjustable
K0001	Standard wheelchair
K0002	Standard hemi (low seat) wheelchair
K0003	Lightweight wheelchair
K0004	High strength ltwt wheelchair
K0005	Ultra Lightweight wheelchair
K0006	Heavy duty wheelchair
K0007	Extra heavy duty wheelchair
K0009	Other manual wheelchair/base
K0606**	AED garment with electronic analysis
K0730	Controlled dose inhalation drug delivery system